# HEATHFIELD AGRICULTURAL SHOW TRADE STAND RISK ASSESSMENT TEMPLATE 2024

We have a duty of care and need all our traders and exhibitors to help us with event safety by identifying potential hazards on their stand, assessing how serious any harm caused could be, and how likely it is that an injury could occur from a hazard.

We need to know that you've taken reasonable steps to identify and minimise risk. Under health and safety law, we all have a duty to do all that is reasonably practical to ensure the health, safety and welfare of our employees and of anyone else that may be harmed by our work activities or our workplace.

It's therefore a requirement of our Terms & Conditions that each stallholder (including their subcontractors) completes and submits a risk assessment form. This needs to be submitted in good time before the show along with proof of your public and products liability insurance cover. If your insurance renewal time falls between now and the event, then you'll need to re-submit when the new documents are issued.

Please complete this form in full and return it by email to <a href="mailto:tradestands@heathfieldshow.org">tradestands@heathfieldshow.org</a>

Exhibitor Name (Add stand location				
if known)				
Date of arrival on		Date of		Stand size
site		departure		
		from site		
Name of person in			Contact number	
charge			on site	
Description of				
stand/unit	4.6			
Maximum number		Maximum		Total maximum
of staff		occupancy		occupancy
		(public)		

**GENERAL HAZARDS** (consider risks to your own staff and to customers, other exhibitors and visitors)

The following list is a guide to the elements you should consider, others may apply:

Slipping and tripping Manual handling Working at height Machinery use Dust, fumes and chemicals Falling objects
Electrical equipment Overcrowding Vehicles
Rubbish Weather conditions Effects of noise
Livestock Fire (ignition sources, flammable substances, LPG use)

In your Control Measures listed, include information about compliance with relevant legal standards, recognised industry standards and training that has been undertaken.

WHAT ARE THE HAZARDS	WHO COULD GET HARMED AND HOW	SEVERITY OF THE RISK HIGH, MEDIUM, LOW	CONTROL MEASURES (HOW YOU WILL REDUCE THE RISK)
	M		
Please add additional sheet if re	quired.		

# **FIRE SAFETY**

CHECKLIST	TICK TO CONFIRM	COMMENTS
My stand has adequate exits which will be available,		
unobstructed and unlocked at all times when the stand is in		
use.		
I have adequate fire extinguishers/fire blankets, they have been		
maintained as required, they're easily seen and available for		
use.		
My staff have been trained on what to do in case of fire.		
I have identified combustible materials and have reduced the		
risk of them being involved in an incident.		
The structure, roof, walls and fittings of my stand are flame		
retardant. Are certificates of compliance available?		
I have adequate provision for managing rubbish and have		
considered fire safety in how I manage this.		
I know that petrol generators are not permitted on site.		

## LPG - ONLY COMPLETE THIS SECTION IF YOU USE LPG

CHECKLIST	TICK TO CONFRIM	COMMENTS
I have an inspection / gas safety certificate for the appliances and pipework and will keep a copy for inspection purposes. All hose connections are made with 'crimped' fastenings.		
The cylinders are kept outside, secured in the upright position and out of the reach of the general public. They're away from entrances, emergency exits and circulation areas.		
The cylinders are readily accessible to enable easy isolation in case of emergency.		
I will ensure that only those cylinders in use or likely to be in use are kept at my stand.		
Appliances are fixed securely on a firm, non-combustible, heat-insulating base and surrounded by shields of similar material on three sides.		
I will ensure that gas supplies are isolated at the cylinder as well as at the appliance when the apparatus is not in use.		
My staff have been trained in the safe use of LPG.		
Responsible person:	1	
SIGNATURE PRINT NAME		DATE
POSITION IN COMPANY		

Please note: Notwithstanding the content of this document, any exhibitor deemed to have unsatisfactory standards or provisions and who fails to remedy to the satisfaction of our Health & Safety Officer will not be permitted to trade and risks removal from site.

More information to help you complete this form and make sure you're following best practice can be found here: <a href="https://www.hse.gov.uk/simple-health-safety/risk/index.htm">https://www.hse.gov.uk/simple-health-safety/risk/index.htm</a>

#### Fire risk assessment guidance for open air events like ours:

https://www.gov.uk/government/publications/fire-safety-risk-assessment-open-air-events-and-venues

### **Guidance around temporary demountable structures:**

https://www.hse.gov.uk/event-safety/temporary-demountable-structures.htm

#### Guidance for the safe use of LPG at events:

https://www.ncass.org.uk/wp-content/uploads/2020/06/lpg-installation-in-marquees v5.pdf